

# BF1718-110-101

# PLUS: TCD1 Thermostatic Coaxial Shower System

### **SPECIFICATIONS**



### **Components included**

- BF1396: Rainhead with vertical ceiling arm
- 102860: 2-jet handshower (2 positions)
- 103576: Wallbar
- 101620: 60" flexible and soft PVC hose
- BF1726: 2-way AQUATONIK type T/P 1/2" coaxial valve with diverter
- 106193: Wall outlet

### Color (Finish)

• Chrome: BF1718-110-101

### **Certifications**

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





# **BF1396**

# PLUS: Rainhead and Vertical Ceiling Arm

**SPECIFICATIONS** 

### **Features**

- Water 1/2" male inlet NPT
- Dimensions: 251 x 251mm (9 7/8" x 9 7/8")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel

### **Colors (Finishes)**

• Chrome: BF1396-**110** 


### Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

### **Certifications**

The specified model meets or exceeds the following standards;






### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.







# 102860

## PLUS: 2-Jet Handshower

### **SPECIFICATIONS**

### **Features**

- Dimension: 121 mm (4 3/4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 positions
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

Chrome: 102860-110

Brushed Nickel PVD: 102860-120

### **Maximum flow rate**

• 7.6 L/min. (2 gpm) at 80 psi

### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA






### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089

KaliaStyle.com

# 103576

## Wallbar for handshower

### **SPECIFICATIONS**

### **Features**


- Total height of 775 mm (30 1/2")
- Easy-to-use gliding system
- Locking system

### **Colors (Finishes)**

• Chrome: 103576-110

### **Packaging**

- **Dimensions**: 798 mm x 205 mm x 89 mm (31 1/2" x 8" x 3 1/2")
- **Volume**: 0.27 cu ft (0.010 cu m)
- **Total weight**: 1.54 lb (0.7 kg)




### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f Ø ♯ ™





ONCE UPON A TIME...WATER®

**BF1726** 

2-way AQUATONIK™ type T/P 1/2" coaxial valve with diverter and decorative trim

### **SPECIFICATIONS**

### **Features**

- Solid brass construction
- No visible screw
- Integrated service stops
- Two male water inlets 1/2NPT threaded or welded
- Two male water outlets 1/2NPT threaded or welded
- Total adjustment of 32 mm (1 1/4")
- Can be installed back-to-back
- Support for better stability during installation included

### **Colors (Finishes)**

Chrome: BF1726-110

# Packaging

- **Dimensions**: 370 mm x 190 mm x 205 mm (14 5/8" x 7 1/2" x 8 1/8")
- **Volume**: 0.014 m³ (0.51 pi³)
- **Total weight**: 2.32 kg (5.1 lb)

### **Maximum flow rate**

- 1 outlet = 25 L/min (6.6 gpm) at 60 psi
- 2 outlets = 29 L/min (7.7 gpm) at 60 psi



### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**


Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

### Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1







1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com **f ⊘ \$ ™** 



# 106193 Wall Outlet

### **SPÉCIFICATIONS**


### **Features**

- Female water inlet 1/2NPT
- Male water oulet G1/2
- · Connector adjustable in depth
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

• Chrome: 106193-**110** 

Pure nickel PVD: 106193-125Matte black: 106193-160




### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com



01/21 106193\_EN