KONTOURTM



BF1497-XXX

STANDARD: PB4 Pressure Balance Shower System

SPECIFICATIONS



Components included

- BF1299-110: 1/2" Pressure balance valve with diverter and decorative trim
- BF1387-XXX*: Rainhead with 90° wall arm
- 104286-110 or 104336-150: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 106192-110: Wall outlet
- 101620-XXX*: 60" flexible and soft PVC hose
- * XXX means that the finish color must be specified.

Colors (Finishes)

- Chrome: BF1497-**110**
- Black and chrome: BF1497-150

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.





See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



KONTOURTM



BF1299

1/2" Pressure Balance Valve With Diverter and Decorative Trim

SPECIFICATIONS

Features

- No visible screw
- Male water inlet 1/2NPT threaded or welded
- · Shut-off valves included
- Solid brass construction
- Total adjustment of 19 mm (3/4")
- Included support for better stability during installation
- Can be installed back-to-back
- Push-button diverter with automatic or mechanical reset

Colors (Finishes)

• Chrome: BF1299-**110**

Packaging

- **Dimensions**: 362 mm x 184 mm x 191 mm (14 1/4" x 7 1/4" x 7 1/2")
- Volume: 0.45 cu ft (0.013 cu m)
 Total weight: 4.56 lb (2.07 kg)

Maximum flow rate

• 20 liters/min. (5.28 gallons/min.) at 60 psi

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KONTOUR^{MC}



BF1387 STANDARD: Rainhead and 90° Wallarm

SPECIFICATIONS

Features

- Male water inlet 1/2NPT on wall arm
- Female water inlet G1/2 on rainhead
- Rainhead diameter of 200 mm (7 7/8")
- Anti-scale system with soft sprays
- Adjustable orientation swivel
- Solid brass arm and plastic rainhead construction

Colors (Finishes)

Chrome: BF1387-110

• Black and Chrome: BF1387-150

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089

104286 2-jet handshower

SPECIFICATIONS

Features

Dimension: 120 mm (4 3/4")Anti-scale system with soft sprays

• Male water inlet G1/2

• 2 direct functions and 1 shared function

Colors (Finishes)

• Chrome: 104286-**110**

Pure Nickel PVD: 104286-125Matte Black: 104286-160

Maximum flow rate

• 7.6 L/min. (2 gpm) at g0 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAS




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089

KONTOURTM



104336-150 STANDARD: 2-Jet Handshower

SPECIFICATIONS

Features

- Dimension: 120 mm (4 3/4")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function

Colors (Finishes)

Black and chrome: 104336-150

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1
Intertek ASME A112.18.1 ADAS








Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) **F** 418 387-9089

103577 Wallbar for handshower

SPECIFICATIONS

Features

- · Plastic construction
- Total height of 742 mm (30")
- · Easy-to-use gliding system
- · Locking system

Colors (Finishes)


• Chrome: 103577-110

Pure Nickel PVD: 103577-125Matte Black: 103577-160

Certifications

The specified model meets or exceeds the following standards;

ADA




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



106192 **Wall Outlet**

SPECIFICATIONS

Features

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

Colors (Finishes)

Chrome: 106192-110

Pure Nickel PVD: 106192-125 Matte Black: 106192-160 Black: 106192-165

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



101620

60" (1524 mm) Flexible and Soft PVC Hose

SPECIFICATIONS

Features

G1/2 female connection

· Integrated check valve

Colors (Finishes)

• Chrome: 101620-110

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160



Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

