## ROUNDONE<sup>TM</sup>



## **BF2064-XXX**

## **TB2** Thermostatic Shower System

#### **SPECIFICATIONS**



#### **Components included**

- BF2063-XXX\*: 2-way **AQUATONIK**<sup>TM</sup> type T/P 1/2" push-button valve and decorative trim (operates 1 or 2 components at a time)
- BF1633-XXX\*: Rainhead with 90° wall arm
- 104286-XXX\*: 2-jet handshower (2 direct functions and 1 shared function)
- 103577-XXX\*: Wallbar
- 101620-XXX\*: 60" flexible and soft PVC hose
- 106192-XXX\*: Wall outlet
- \* XXX means that the finish color must be specified.

#### **Colors (Finishes)**

- Chrome: BF2064-110
- Pure Nickel PVD: BF2064-125
- Matte Black: BF2064-160

#### Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAG

See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





## **BF2063**

2-way AQUATONIK™ type T/P 1/2" push-button valve and decorative trim

#### **SPECIFICATIONS**

#### **Features**

- Solid brass construction
- Low-profil design
- Two male water inlets 1/2 NPT threaded or welded
- Male water outlets 1/2 NPT threaded or welded
- · Horizontal or vertical installation
- One (1) high-flow outlet for tub spout
- Total adjustment of 25.4 mm (1")
- Back supports for better stability during installation included
- Operates 1 or 2 components at a time
- Integrated adjustable high-temperature limit
- Extra buttons included for custom shower configurations

#### **Colors (Finishes)**

- Chrome: BF2063-110
- Pure Nickel PVD: BF2063-125
- Matte Black: BF2063-160

#### Maximum flow rate

- 1 outlet: 27.7 L/min (7.32 gpm) at 60 psi
- 2 outlets: 31.5 L/min (8.32 gpm)at 60 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1





#### **Installation Notes**


This product must be installed following the installation instructions provided.


#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.









Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 387-9089

## ROUNDONE<sup>TM</sup>



## **BF1633**

## Rainhead with 90° Wallarm

#### **SPECIFICATIONS**

#### **Features**

- Male water inlet 1/2NPT on wall arm
- Female water inlet G1/2 on rainhead
- Rainhead diameter of 220 mm (8 5/8")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel

#### **Colors (Finishes)**

• Chrome: BF1633-110

Pure Nickel PVD: BF1633-125Matte Black: BF1633-160

#### Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue du Parc industriel Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 387-9089

kaliastyle.com

## 104286 2-jet handshower

## **SPECIFICATIONS**

#### **Features**

Dimension: 120 mm (4 3/4") Anti-scale system with soft sprays

Male water inlet G1/2

2 direct functions and 1 shared function

#### **Colors (Finishes)**

Chrome: 104286-110

Pure Nickel PVD: 104286-125 Matte Black: 104286-160

#### Maximum flow rate

• 7.6 L/min. (2 gpm) at g0 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA5






#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

# 103577 Wallbar for handshower

## **SPECIFICATIONS**

#### **Features**

- · Plastic construction
- Total height of 742 mm (30")
- · Easy-to-use gliding system
- · Locking system

#### **Colors (Finishes)**


• Chrome: 103577-110

Pure Nickel PVD: 103577-125Matte Black: 103577-160

#### **Certifications**

The specified model meets or exceeds the following standards;

#### ADA




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



## 101620

## 60" (1524 mm) Flexible and Soft PVC Hose

## **SPECIFICATIONS**

#### **Features**

G1/2 female connection

· Integrated check valve

#### **Colors (Finishes)**

• Chrome: 101620-110

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.







## 106192 **Wall Outlet**

## **SPECIFICATIONS**

#### **Features**

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

#### **Colors (Finishes)**

Chrome: 106192-110


Pure Nickel PVD: 106192-125 Matte Black: 106192-160 Black: 106192-165

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089