



## BF1433-110-001

STANDARD: TD2 Thermostatic Shower System

**SPECIFICATIONS** 



## **Components included**

- BF1148-110: AQUATONIK<sup>™</sup> type T/P 1/2" valve and decorative trim
- BF1441-110: 2-way 1/2" diverter and decorative trim
- BF1377-110: Rainhead and vertical ceiling arm
- 102852-110: 3-jet handshower
- 101323-110: Wallbar
- 106192-110: Wall outlet
- 101620-110: 60" flexible and soft PVC hose

## **Colors (Finishes)**

• Chrome: BF1433-110-001

## **Certifications**

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

## **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.







## AQUATONIK™ type T/P 1/2" valve and decorative trim

## **SPECIFICATIONS**

## **Features**

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")
- Optional lever included

## **Colors (Finishes)**

Chrome: BF1148-110

## Maximum flow rate


30 L/min (7.9 gpm) at 60 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA




## **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



## **BF1441**

## 2-way 1/2" diverter and decorative trim

## SPÉCIFICATIONS

## **Features**

- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Operates 1 or 2 components at a time
- Optional lever included

## **Colors (Finishes)**

Chrome: BF1441-110

#### Maximum flow rate

- 1 outlet: 22 L/min (5.8 gpm) at 60 psi
- 2 outlets: 24 L/min (6.4 gpm) at 60 psi


### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA







### **Installation Notes**


This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.







Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



## **BF1377**

## STANDARD: Rainhead with 90° wallarm

## **SPECIFICATIONS**

## **Features**

- Male water inlet 1/2"NPT
- Diameter of 229 mm (9")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel
- · Solid brass arm and plastic rainhead construction

## **Colors (Finishes)**

• Chrome: BF1377-**110** 

## **Maximum flow rate**

• 7.6 L/min (2 gpm) at 80 psi

## **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1




## **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



## 102852

## STANDARD: 3-Jet Handshower

## **SPECIFICATIONS**

## **Features**

- Diameter of 100 mm (4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 3 direct positions and 2 shared positions

## **Colors (Finishes)**

Chrome: 102852-110

### Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi


### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA






## **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.







## 101323

## Wallbar for Handshower

## **SPECIFICATIONS**

## **Features**

- Total height of 762mm (30")
- Locking system of 1/4 turn

## **Colors (Finishes)**


• Chrome: 101323-110

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAG




## **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.







## 106192 **Wall Outlet**

## **SPECIFICATIONS**

## **Features**

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

## **Colors (Finishes)**

Chrome: 106192-110


Pure Nickel PVD: 106192-125 Matte Black: 106192-160 Black: 106192-165

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1




## **Installation Notes**

This product must be installed following the installation instructions provided.

## WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# 101620

## 60" (1524 mm) Flexible and Soft PVC Hose

## **SPECIFICATIONS**

## **Features**

G1/2 female connection

· Integrated check valve

## **Colors (Finishes)**

• Chrome: 101620-110

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160



### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

