

### BF1609-110-100

PLUS: TD3 Thermostatic Shower System

**SPECIFICATIONS** 



### **Components included**

- BF1307-110: **AQUATONIK™** type T/P 1/2" valve and decorative trim
- BF1539-110: 3-way 1/2" diverter and decorative trim (operates 1 or 2 components at a time)
- BF1395-110: Rainhead with 90° wall arm
- 102860-110: 2-jet handshower (2 direct functions and 1 shared function)
- 103576-110: Wallbar
- 101620-110: 60" flexible and soft PVC hose
- 106193-110: Wall outlet
- 102871-110: Tub spout

### **Colors (Finishes)**

• Chrome: BF1609-**110**-100

#### Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA

See the following sheets for the technical features of each component.

### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.







## **BF1307**

### AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim

### **SPECIFICATIONS**

### **Features**

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

### **Colors (Finishes)**

• Chrome: BF1307-**110** 

#### **Certifications**

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



### **Packaging**

• **Dimensions**: 370 mm x 190 mm x 205 mm (14 \( \frac{5}{8} \) x 7 \( \frac{1}{2} \) x 8 \( \frac{1}{8} \))

Volume: 0.014 cu m (0.51 cu ft)
Total weight: 2.48 kg (5.47 lb)

### **Maximum flow rate**

• 30 liters/min. (7.9 gallons/min.) at 60 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f ② ♯





### **BF1539**

### 3-way 1/2" diverter and decorative trim

### **SPECIFICATIONS**

#### **Features**

- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Operates 1 or 2 components at a time

### **Colors (Finishes)**

Chrome: BF1539-110

### Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1

### **Packaging**

- **Dimensions**: 315 mm x 125 mm x 115 mm  $(12 \frac{3}{8}$ " x 4  $\frac{7}{8}$ " x 4  $\frac{1}{2}$ ")
- **Volume**: 0.004 cu m (0.16 cu ft)
- **Total weight**: 1.22 kg (2.69 lb)

### **Maximum flow rate**

- 1 outlet: 22.5 liters/min. (6 gallons/min.) at 60 psi
- 2 outlets: 23.5 liters/min. (6.7 gallons/min.) at 60 psi





### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.







1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com







### **BF1395**

### PLUS: Rainhead and 90° Wallarm

### **SPECIFICATIONS**

### **Features**

- Male water inlet 1/2 NPT
- Rainhead dimension: 251 x 251mm (9 7/8" x 9 7/8")
- Soft tips for easy cleaning of limescale
- Adjustable orientation swivel
- Solid brass arm and plastic rainhead construction

### **Colors (Finishes)**

• Chrome: BF1395-**110** 

### Maximum flow rate


• 7.6 L/min (2 gpm) at 80 psi

### **Certifications**

The specified model meets or exceeds the following standards:



CSA B125.1 ASME A112.18.1




### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>e</sup> Rue du Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 387-9089

kaliastyle.com



### 102860

### PLUS: 2-Jet Handshower

### **SPECIFICATIONS**

#### **Features**

- Dimension: 121 mm (4 3/4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 positions
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

Chrome: 102860-110

Brushed Nickel PVD: 102860-120

#### **Maximum flow rate**

• 7.6 L/min. (2 gpm) at 80 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA






### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



### 103576 Wallbar for handshower

### **SPÉCIFICATIONS**

#### **Features**

- Total height of 775 mm (30 1/2")
- Easy-to-use gliding system
- Locking system

### **Colors (Finishes)**

Chrome: 103576-110

Pure Nickel PVD: 103576-125

Matte Black: 103576-**160** 



### **Installation Notes**

This product must be installed following the installation instructions provided.

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com





# **106193** Wall Outlet

### **SPÉCIFICATIONS**


### **Features**

- Female water inlet 1/2NPT
- Male water oulet G1/2
- · Connector adjustable in depth
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

• Chrome: 106193-**110** 

Pure nickel PVD: 106193-125Matte black: 106193-160




### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com



01/21 106193\_EN



## 102871 **Tub Spout**

### **SPÉCIFICATIONS**

### **Features**

- Male water inlet 1/2NPT
- Solid brass construction
- Regular water jet
- High water flow

### **Colors (Finishes)**

Chrome: 102871-110

### **Certifications**


The specified model meets or exceeds the following standards;



CSA B125.1

### **Packaging**

- **Dimensions:** 340 mm x 300 mm x 60 mm (13 3/8" x 11 3/4" x 2 3/8")
- **Volume**: 0.006 cu m (0.22 cu ft)
- **Total weight**: 0.7 kg (1.54 lb)




### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com

