# 



# BF1610-110-001

STANDARD: TG3 Thermostatic Shower System

### **SPECIFICATIONS**



#### **Components included**

- BF1307-110: AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim
- BF1608-110: CalGreen 3-way 1/2" diverter and decorative trim (operates 1 component at a time)
- BF1394-110: Rainhead with vertical ceiling arm
- 103574-110: 2-jet handshower (2 direct functions and 1 shared function)
- 103576-110: Wallbar
- 101620-110: 60" flexible and soft PVC hose
- 106193-110: Wall outlet
- 102871-110: Tub spout

#### **Colors (Finishes)**

• Chrome: BF1610-110-001

#### Certifications

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com



# 

# **BF1307**

AQUATONIK<sup>™</sup> type T/P 1/2" valve and decorative trim

### **SPECIFICATIONS**

#### Features

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

#### **Colors (Finishes)**

• Chrome : BF1307-110

#### Certifications

*The specified model meets or exceeds the following standards;* 

• ASME A112.18.1 / CSA B125.1





#### Packaging

- **Dimensions**: 370 mm x 190 mm x 205 mm
- $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$
- Volume: 0.014 cu m (0.51 cu ft)
- Total weight: 2.48 kg (5.47 lb)

#### Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



# 



### BF1608 CalGreen 3-way 1/2" diverter and Decorative Trim

### **SPECIFICATIONS**

#### Features

- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Operates 1 component at a time

#### **Colors (Finishes)**

• Chrome : BF1608-110

#### Certifications

The specified model meets or exceeds the following standards;

Intertek EFFICIENT CSA B125.1 ASME A112.18.1

#### Packaging

- **Dimensions** : 315 mm x 125 mm x 115 mm (12 <sup>3</sup>/<sub>8</sub>" x 4 <sup>7</sup>/<sub>8</sub>" x 4 <sup>1</sup>/<sub>2</sub>")
- Volume: 0.004 cu m (0.16 cu ft)
- Total weight: 1.22 kg (2.69 lb)

#### Maximum flow rate

1 outlet: 22 liters/min.
(5.8 gallons/min.) at 60 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





## BF1394 STANDARD: Rainhead with vertical ceiling arm SPECIFICATIONS

#### Features

- Water 1/2" male inlet NPT
- Diameter of 195 mm (7 11/16")
- Anti-scale system with soft sprays
- Adjustable orientation swivel

#### **Colors (Finishes)**

• Chrome : BF1394-110

#### Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

#### Certifications

The specified model meets or exceeds the following standards;






#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>e</sup> Rue du Parc industriel Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 387-9089

kaliastyle.com



## 103574 STANDARD: 2-jet handshower

## SPÉCIFICATIONS

#### Features

- Dimension: 106 mm (4 3/16")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function
- Plastic construction

#### **Colors (Finishes)**

• Chrome : 103574-110

#### Maximum flow rate

• 7.6 L/min. (2 gpm) at 80 psi

#### Certifications

The specified model meets or exceeds the following standards;




CSA 8125.1 ADAL

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included** with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com





## 103576 Wallbar for handshower SPÉCIFICATIONS

#### Features

- Total height of 775 mm (30 1/2")
- Easy-to-use gliding system
- Locking system

#### **Colors (Finishes)**

- Chrome: 103576-110
- Pure Nickel PVD: 103576-125
- Matte Black: 103576-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9






## **106193** Wall Outlet SPÉCIFICATIONS

#### Features

- Female water inlet 1/2NPT
- Male water oulet G1/2
- Connector adjustable in depth
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

- Chrome: 106193-110
- Pure nickel PVD: 106193-125
- Matte black: 106193-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





## **102871** Tub Spout SPÉCIFICATIONS

#### Features

- Male water inlet 1/2NPT
- Solid brass construction
- Regular water jet
- High water flow

#### **Colors (Finishes)**

• Chrome : 102871-110

#### Certifications

The specified model meets or exceeds the following standards;



#### Packaging

- Dimensions: 340 mm x 300 mm x 60 mm (13 3/8" x 11 3/4" x 2 3/8")
- Volume: 0.006 cu m (0.22 cu ft)
- **Total weight**: 0.7 kg (1.54 lb)




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

