

BF1613-XXX-001

STANDARD: TD3 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1300-110: AQUATONIK™ type T/P 1/2" valve and decorative trim
- BF1540-110: 3-way 1/2" diverter and decorative trim
- BF1389-XXX*: Rainhead with vertical ceiling arm
- 104286-110 or 104336-150: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 106192-110: Wall outlet
- 101620-XXX*: 60" flexible and soft PVC hose
- 104337-110: Tub spout
- * XXX means that the finish color must be specified.

Colors (Finishes)

- Chrome: BF1613-**110**-001
- Black and chrome: BF1613-150-001

Certifications

The specified model meets or exceeds the following standards;





See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





BF1300

AQUATONIKTM type T/P 1/2" valve and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- · No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1

Colors (Finishes)

• Chrome: BF1300-110

Packaging

• **Dimensions**: 370 mm x 190 mm x 205 mm

 $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$

Volume: 0.014 cu m (0.51 cu ft)
 Total weight: 2.35 kg (5.18 lb)

Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089



BF1540

3-way 1/2" diverter and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Operates 1 or 2 components at a time

Colors (Finishes)

Chrome: BF1540-110

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1
ASME A112.18.1
Intertek ICC A117.1

Packaging

- **Dimensions**: 315 mm x 125 mm x 115 mm $(12 \frac{3}{8}$ " x 4 $\frac{7}{8}$ " x 4 $\frac{1}{2}$ ")
- **Volume**: 0.004 cu m (0.16 cu ft)
- Total weight: 1 kg (2.2 lb)

Maximum flow rate

- 1 outlet: 22.5 liters/min. (6 gallons/min.) at 60 psi
- 2 outlets: 23.5 liters/min. (6.7 gallons/min.) at 60 psi




Installation Notes


This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089





BF1389 STANDARD: Rainhead with Vertical Ceiling Arm

SPECIFICATIONS

Features

- Male water inlet 1/2NPT
- Diameter: 200 mm (7 \%")
- · Anti-scale system with soft sprays
- · Adjustable orientation swivel
- · Solid brass arm and plastic rainhead construction

Colors (Finishes)

- Chrome: BF1389-110
- Black and Chrome: BF1389-150

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;










Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089

104286 2-jet handshower

SPECIFICATIONS

Features

Dimension: 120 mm (4 3/4")Anti-scale system with soft sprays

• Male water inlet G1/2

• 2 direct functions and 1 shared function

Colors (Finishes)

• Chrome: 104286-**110**

Pure Nickel PVD: 104286-125Matte Black: 104286-160

Maximum flow rate

• 7.6 L/min. (2 gpm) at g0 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAS




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



104336-150 STANDARD: 2-Jet Handshower

SPECIFICATIONS

Features

- Dimension: 120 mm (4 3/4")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function

Colors (Finishes)

Black and chrome: 104336-150

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1
Intertek ASME A112.18.1 ADAS







Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) **F** 418 387-9089



103577 Wallbar for handshower

SPECIFICATIONS

Features

- Plastic construction
- Total height of 742 mm (30")
- · Easy-to-use gliding system
- · Locking system

Colors (Finishes)


• Chrome: 103577-110

Pure Nickel PVD: 103577-125Matte Black: 103577-160

Certifications

The specified model meets or exceeds the following standards;

ADA




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



106192 **Wall Outlet**

SPECIFICATIONS

Features

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

Colors (Finishes)

Chrome: 106192-110

Pure Nickel PVD: 106192-125 Matte Black: 106192-160 Black: 106192-165

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



101620

60" (1524 mm) Flexible and Soft PVC Hose

SPECIFICATIONS

Features

• G1/2 female connection

Integrated check valve

Colors (Finishes)

• Chrome: 101620-**110**

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.









SPÉCIFICATIONS

Features

- 1/2" cooper "slip fit" inlet or male water inlet 1/2NPT with 76 mm (3") adjustment
- · Solid brass construction
- Regular water jet
- · High water flow

Colors (Finishes)

• Chrome: 104337-110


Pure Nickel PVD: 104337-125Matte Black: 104337-160

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089