Kalia
ONCE UPON A TIME...WATER®

KONTOUR™

BF1614-XXX-001

STANDAR : TG3 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1300-110: AQUATONIK™ type T/P 1/2” valve and decorative trim
- BF1622-110: CalGreen 3-way 1/2” diverter and decorative trim
- BF1389-XXX*: Rainhead with vertical ceiling arm
- 104286-110 or 104336-150: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 106192-110: Wall outlet
- 101620-XXX*: 60” flexible and soft PVC hose
- 104337-110: Tub spout

** XXX means that the finish color must be specified.*

Colors (Finishes)

- Chrome: BF1614-**110**-001
- Black and chrome: BF1614-**150**-001

Certifications

The specified model meets or exceeds the following standards;

WATER EFFICIENT · Intertek · CSA B125.1 · ASME A112.18.1 · ADA · WaterSense

See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

KONTOUR™

BF1300

AQUATONIK™ type T/P 1/2” valve and decorative trim

SPECIFICATIONS

Features
- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4”)



Certifications
The specified model meets or exceeds the following standards;
- ASME A112.18.1 / CSA B125.1
- ICC A117.1

Colors (Finishes)
- Chrome : BF1300-**110**


Packaging
- **Dimensions**: 370 mm x 190 mm x 205 mm (14 ⅝ x 7 ½ x 8 ⅛)
- **Volume**: 0.014 cu m (0.51 cu ft)
- **Total weight**: 2.35 kg (5.18 lb)

Maximum flow rate
- 30 liters/min. (7.9 gallons/min.) at 60 psi

Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2e Rue, Parc industriel
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-877-465-2542)
F 418 -87-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

KONTOUR™

BF1622
CalGreen 3-way 1/2” diverter and Decorative Trim

SPECIFICATIONS

Features
- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4”)
- Support for better stability during installation included
- Operates 1 component at a time


Colors (Finishes)
- Chrome : BF1622-**110**

Certifications
The specified model meets or exceeds the following standards;

Intertek WATER EFFICIENT CSA B125.1 ASME A112.18.1 ICC A117.1

Packaging
- **Dimensions** : 315 mm x 125 mm x 115 mm (12 ⅜” x 4 ⅞” x 4 ½”)
- **Volume**: 0.004 cu m (0.16 cu ft)
- **Total weight**: 1 kg (2.2 lb)


Maximum flow rate
- 1 outlet: 22 liters/min. (5.8 gallons/min.) at 60 psi




Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:







Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Configuration 3 voies (CalGreen)

3-way configuration (CalGreen)





Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

KONTOUR[MC]

BF1389
STANDARD: Rainhead with Vertical Ceiling Arm

SPECIFICATIONS

Features
- Male water inlet 1/2NPT
- Diameter: 200 mm (7 ⅞")
- Anti-scale system with soft sprays
- Adjustable orientation swivel
- Solid brass arm and plastic rainhead construction



Colors (Finishes)
- Chrome: BF1389-**110**
- Black and Chrome: BF1389-**150**

Maximum flow rate
- 7.6 L/min (2 gpm) at 80 psi


Certifications
The specified model meets or exceeds the following standards;

Intertek CSA B125.1 ASME A112.18.1

Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important : Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

104286
2-jet handshower
SPECIFICATIONS

Features
- Dimension: 120 mm (4 3/4'')
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function

Colors (Finishes)
- Chrome: 104286-**110**
- Pure Nickel PVD: 104286-**125**
- Matte Black: 104286-**160**

Maximum flow rate
- 7.6 L/min. (2 gpm) at g0 psi

Certifications
The specified model meets or exceeds the following standards;


Intertek CSA B125.1 ASME A112.18.1 ADA



Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important : Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

KONTOUR™

104336-150
STANDARD: 2-Jet Handshower

SPECIFICATIONS

Features
- Dimension: 120 mm (4 3/4'')
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function

Colors (Finishes)
- Black and chrome: 104336-**150**

Maximum flow rate
- 7.6 L/min (2 gpm) at 80 psi

Certifications
The specified model meets or exceeds the following standards;


Intertek CSA B125.1 ASME A112.18.1 ADA WaterSense



Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important : Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

103577
Wallbar for handshower
SPECIFICATIONS

Features
- Plastic construction
- Total height of 742 mm (30’’)
- Easy-to-use gliding system
- Locking system

Colors (Finishes)
- Chrome: 103577-**110**
- Pure Nickel PVD: 103577-**125**
- Matte Black: 103577-**160**

Certifications
The specified model meets or exceeds the following standards;


ADA



Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important : Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®


106192
Wall Outlet
SPECIFICATIONS

Features
- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

Colors (Finishes)
- Chrome: 106192-**110**
- Pure Nickel PVD: 106192-**125**
- Matte Black: 106192-**160**
- Black: 106192-**165**

Certifications
The specified model meets or exceeds the following standards;


Intertek
CSA B125.1
ASME A112.18.1
ICC A117.1



Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

101620
60” (1524 mm) Flexible and Soft PVC Hose
SPECIFICATIONS

Features
- G1/2 female connection
- Integrated check valve


Colors (Finishes)
- Chrome: 101620-**110**
- Pure Nickel PVD: 101620-**125**
- Black and chrome: 101620-**150**
- Matte Black: 101620-**160**



Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important : Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®


104337
Tub Spout
SPÉCIFICATIONS

Features
- 1/2” cooper “slip fit” inlet or male water inlet 1/2NPT with 76 mm (3”) adjustment
- Solid brass construction
- Regular water jet
- High water flow

Colors (Finishes)
- Chrome: 104337-**110**
- Pure Nickel PVD: 104337-**125**
- Matte Black: 104337-**160**

Certifications
The specified model meets or exceeds the following standards;


Intertek CSA B125.1 ASME A112.18.1



Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com