ROUNDONETM



BF1643-XXX

TD3 Thermostatic Shower System (without valve)

SPECIFICATIONS



Components included

- 104082-XXX*: Decorative trim for 3-way **AQUATONIK**TM type T/P 1/2" valve with diverter (operates 1 or 2 components at a time)
- BF1633-XXX*: Rainhead with 90° wall arm
- 104286-XXX*: 2-jet handshower (2 direct functions and 1 shared function)
- 103577-XXX*: Wallbar
- 101620-XXX*: 60" flexible and soft PVC hose
- 106192-XXX*: Wall outlet
- 104337-XXX*: Tub spout
- * XXX means that the finish color must be specified.

Colors (Finishes)

- Chrome: BF1643-**110**
- Pure Nickel PVD: BF1643-125
- Matte Black: BF1643-160

See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



$ROUNDONE^{TM}$



104082

TD2/TG2 and TD3/TG3 round decorative trim


SPÉCIFICATIONS

Features

- Solid brass construction
- Total adjustment of 30 mm (1 3/16")

Colors (Finishes)

- Chrome: 104082-**110**
- Pure Nickel PVD: 104082-125Matte Black: 104082-160




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





ROUNDONETM



BF1633

Rainhead with 90° Wallarm

SPECIFICATIONS

Features

- Male water inlet 1/2NPT on wall arm
- Female water inlet G1/2 on rainhead
- Rainhead diameter of 220 mm (8 5/8")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel

Colors (Finishes)

• Chrome: BF1633-110

Pure Nickel PVD: BF1633-125Matte Black: BF1633-160

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue du Parc industriel Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 387-9089

kaliastyle.com

104286 2-jet handshower

SPECIFICATIONS

Features

Dimension: 120 mm (4 3/4")Anti-scale system with soft sprays

• Male water inlet G1/2

• 2 direct functions and 1 shared function

Colors (Finishes)

• Chrome: 104286-**110**

Pure Nickel PVD: 104286-125Matte Black: 104286-160

Maximum flow rate

• 7.6 L/min. (2 gpm) at g0 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAS




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089

103577 Wallbar for handshower

SPECIFICATIONS

Features

- · Plastic construction
- Total height of 742 mm (30")
- · Easy-to-use gliding system
- · Locking system

Colors (Finishes)


• Chrome: 103577-110

Pure Nickel PVD: 103577-125Matte Black: 103577-160

Certifications

The specified model meets or exceeds the following standards;

ADA




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



101620

60" (1524 mm) Flexible and Soft PVC Hose

SPECIFICATIONS

Features

G1/2 female connection

· Integrated check valve

Colors (Finishes)

• Chrome: 101620-110

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.







106192 **Wall Outlet**

SPECIFICATIONS

Features

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

Colors (Finishes)

Chrome: 106192-110

Pure Nickel PVD: 106192-125 Matte Black: 106192-160 Black: 106192-165

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089





SPÉCIFICATIONS

Features

- 1/2" cooper "slip fit" inlet or male water inlet 1/2NPT with 76 mm (3") adjustment
- · Solid brass construction
- Regular water jet
- · High water flow

Colors (Finishes)

• Chrome: 104337-110

Pure Nickel PVD: 104337-125Matte Black: 104337-160

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089