# KONTOUR<sup>TM</sup>



# BF1614-110-101

**PLUS: TG3 Thermostatic Shower System** 

**SPECIFICATIONS** 



# Components included

- BF1300-110: AQUATONIK<sup>™</sup> type T/P 1/2" valve and decorative trim
- BF1622-110: CalGreen 3-way 1/2" diverter and decorative trim
- BF1391-110: Rainhead with vertical ceiling arm
- 102850-110: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 106192-110: Wall outlet
- 101620-110: 60" flexible and soft PVC hose
- 104337-110: Tub spout

# **Colors (Finishes)**

• Chrome: BF1614-**110**-101

#### Certifications

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

## **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



# **KONTOUR**<sup>TM</sup>



# **BF1300**

# AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim

# **SPECIFICATIONS**

# **Features**

- Solid brass construction
- · No visible screw
- · Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

# **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

ICC A117.1

# **Colors (Finishes)**

• Chrome: BF1300-110

# **Packaging**

• **Dimensions**: 370 mm x 190 mm x 205 mm

 $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$ 

Volume: 0.014 cu m (0.51 cu ft)
 Total weight: 2.35 kg (5.18 lb)

## Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




## **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

# **KONTOUR**<sup>TM</sup>



# **BF1622** CalGreen 3-way 1/2" diverter and Decorative Trim

# **SPECIFICATIONS**

## **Features**

- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Operates 1 component at a time

# **Colors (Finishes)**

Chrome: BF1622-110

## Certifications

The specified model meets or exceeds the following standards;





CSA B125.1
ASME A112.18.1
Intertek

# **Packaging**

- **Dimensions**: 315 mm x 125 mm x 115 mm  $(12 \frac{3}{8}$ " x 4  $\frac{7}{8}$ " x 4  $\frac{1}{2}$ ")
- **Volume**: 0.004 cu m (0.16 cu ft)
- Total weight: 1 kg (2.2 lb)

## **Maximum flow rate**

1 outlet: 22 liters/min. (5.8 gallons/min.) at 60 psi




# **Installation Notes**


This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# KONTOUR<sup>MC</sup>



# BF1391 PLUS: Rainhead and Vertical Ceiling Arm

# **SPECIFICATIONS**

# **Features**

- Male water inlet 1/2NPT
- Diameter: 254 mm (10")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel
- · Solid brass arm and plastic rainhead construction

# **Colors (Finishes)**

• Chrome: BF1391-110 Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

# **Certifications**

The specified model meets or exceedsthe following standards;






# **Installation Notes**

This product must be installed following the installation instructions provided.

## WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



# 102850

# **PLUS: 2-Jet Handshower**

# **SPECIFICATIONS**

# **Features**

- Plastic construction
- Diameter of 121mm (4 3/4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 direct positions and 1 shared position

# **Colors (Finishes)**

• Chrome: 102850-**110** 

# **Maximum flow rate**

• 7.6 L/min (2 gpm) at 80 psi

# **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAS




# **Installation Notes**

This product must be installed following the installation instructions provided.

## WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# 103577 Wallbar for handshower

# **SPECIFICATIONS**

# **Features**

- · Plastic construction
- Total height of 742 mm (30")
- · Easy-to-use gliding system
- · Locking system

# **Colors (Finishes)**


• Chrome: 103577-110

Pure Nickel PVD: 103577-125Matte Black: 103577-160

## **Certifications**

The specified model meets or exceeds the following standards;

# ADA5.




## **Installation Notes**

This product must be installed following the installation instructions provided.

## WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# 106192 **Wall Outlet**

# **SPECIFICATIONS**

# **Features**

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

# **Colors (Finishes)**

Chrome: 106192-110

Pure Nickel PVD: 106192-125 Matte Black: 106192-160 Black: 106192-165

## **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1




## **Installation Notes**

This product must be installed following the installation instructions provided.

# WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# 101620

# 60" (1524 mm) Flexible and Soft PVC Hose

# **SPECIFICATIONS**

# **Features**

G1/2 female connection

· Integrated check valve

# **Colors (Finishes)**

• Chrome: 101620-**110** 

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160




# **Installation Notes**

This product must be installed following the installation instructions provided.

## WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.









# **SPÉCIFICATIONS**

# **Features**

- 1/2" cooper "slip fit" inlet or male water inlet 1/2NPT with 76 mm (3") adjustment
- · Solid brass construction
- Regular water jet
- · High water flow

# **Colors (Finishes)**

• Chrome: 104337-110

Pure Nickel PVD: 104337-125Matte Black: 104337-160

#### Certifications

The specified model meets or exceeds the following standards;



CSA B125.1




# **Installation Notes**

This product must be installed following the installation instructions provided.

## WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089