# **KONTOUR**<sup>TM</sup>



# BF1708-XXX-001

STANDARD: TCG1 Thermostatic Shower System

## **SPECIFICATIONS**



#### **Components included**

- BF1696-110: Calgreen 2-way AQUATONIK<sup>™</sup> type T/P 1/2" coaxial valve with diverter
- BF1389-XXX\*: Rainhead with vertical ceiling arm
- 104286-110 or 104336-150: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 106192-110: Wall outlet
- 101620-XXX\*: 60" flexible and soft PVC hose
- \* XXX means that the finish color must be specified.

#### **Colors (Finishes)**

- Chrome: BF1708-110-001
- Black and chrome: BF1708-150-001

#### Certifications

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# **KONTOUR**<sup>TM</sup>

# **BF1696**

CalGreen 2-way AQUATONIK<sup>™</sup> type T/P 1/2" coaxial valve with diverter and decorative trim

### **SPECIFICATIONS**

#### Features

- Solid brass construction
- No visible screw
- Integrated service stops
- Two male water inlets 1/2NPT threaded or welded
- Two male water outlets 1/2NPT threaded or welded
- Total adjustment of 32 mm  $(1 \ 1/4")$
- Can be installed back-to-back
- Support for better stability during installation included

### **Colors (Finishes)**

Chrome : BF1696-110

### Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1 ICC A117.1



#### Packaging

- Dimensions: 370 mm x 190 mm x 205 mm (14 5/8" x 7 1/2" x 8 1/8")
- Volume: 0.014 m<sup>3</sup> (0.51 pi<sup>3</sup>)
- Total weight: 2.28 kg (5.05 lb) •

#### Maximum flow rate

• 1 outlet = 25 L/min (6.6 gpm) at 60 psi




### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



Canada G6E 1G9

1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

f 🛛 🛱 🛗

# **KONTOUR**<sup>MC</sup>



## BF1389 STANDARD: Rainhead with Vertical Ceiling Arm

### **SPECIFICATIONS**

#### Features

- Male water inlet 1/2NPT
- Diameter: 200 mm (7 <sup>7</sup>/<sub>8</sub>")
- Anti-scale system with soft sprays
- Adjustable orientation swivel
- · Solid brass arm and plastic rainhead construction

#### **Colors (Finishes)**

- Chrome: BF1389-110
- Black and Chrome: BF1389-150

#### Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

#### Certifications

The specified model meets or exceeds the following standards;






#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



# **104286** 2-jet handshower SPECIFICATIONS

#### Features

- Dimension: 120 mm (4 3/4")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function

#### **Colors (Finishes)**

- Chrome: 104286-110
- Pure Nickel PVD: 104286-125
- Matte Black: 104286-160

#### Maximum flow rate

• 7.6 L/min. (2 gpm) at g0 psi

#### Certifications

The specified model meets or exceeds the following standards;






#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# **KONTOUR**<sup>TM</sup>

104336-150 STANDARD: 2-Jet Handshower

## **SPECIFICATIONS**

#### Features

- Dimension: 120 mm (4 3/4")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function

#### **Colors (Finishes)**

• Black and chrome: 104336-150

#### Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

#### Certifications

The specified model meets or exceeds the following standards;






#### Installation Notes

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



#### Features

- Plastic construction
- Total height of 742 mm (30")
- Easy-to-use gliding system
- Locking system

#### **Colors (Finishes)**

- Chrome: 103577-110
- Pure Nickel PVD: 103577-125
- Matte Black: 103577-160

#### Certifications

The specified model meets or exceeds the following standards;








#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# **106192** Wall Outlet SPECIFICATIONS

#### Features

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

#### **Colors (Finishes)**

- Chrome: 106192-110
- Pure Nickel PVD: 106192-125
- Matte Black: 106192-160
- Black: 106192-165

#### Certifications

The specified model meets or exceeds the following standards;






#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



# 101620 60" (1524 mm) Flexible and Soft PVC Hose SPECIFICATIONS

#### Features

- G1/2 female connection
- Integrated check valve

#### **Colors (Finishes)**

- Chrome: 101620-110
- Pure Nickel PVD: 101620-125
- Black and chrome: 101620-150
- Matte Black: 101620-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089