



# BF1821-XXX-001

**TG2 Thermostatic Shower System** 

**SPECIFICATIONS** 



#### **Components included**

- BF1831-XXX\*: CalGreen 2-way **AQUATONIK™** type T/P 1/2" valve with diverter (operates 1 component at a time) and decorative trim
- BF1634-XXX\*: Rainhead with vertical ceiling arm
- 104286-XXX\*: 2-jet handshower (2 direct functions and 1 shared function)
- 103577-XXX\*: Wallbar
- 101620-XXX\*: 60" flexible and soft PVC hose
- 102847-XXX\*: Wall outlet
- \* XXX means that the finish color must be specified.

#### **Colors (Finishes)**

• Chrome: BF1821-110-001

#### Certifications

*The specified model meets or exceeds the following standards;* 





CSA B125.1 ASME A112.18.1

See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



# PRECISO<sup>TM</sup>



## BF1831

CalGreen 2-way AQUATONIK<sup>TM</sup> type T/P 1/2" valve with diverter and decorative trim

### **SPÉCIFICATIONS**

#### **Features**

- 2 male water inlets 1/2NPT threaded or welded
- 2 male water outlets 1/2NPT threaded or welded
- · Solid brass construction
- Total adjustment of 32 mm (1 1/4")
- Can be installed back to back
- Support included for better stability during installation
- Operates 1 component at a time

#### **Colors (Finishes)**

• Chrome: BF1831-110

#### Maximum flow rate

• 1 outlet: 22 L/min (5.9 gpm) at 60 psi


#### **Certifications**

The specified model meets or exceeds the following standards;





CSA B125.1 ASME A112.18.1 ICC A117.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



# ROUNDONE<sup>TM</sup>



# **BF1634**

# Rainhead with Vertical Ceiling Arm

## **SPÉCIFICATIONS**

#### **Features**

- Male water inlet 1/2NPT on wall arm
- Female water inlet G1/2 on rainhead
- Rainhead diameter of 220 mm (8 5/8")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel

#### **Colors (Finishes)**

Chrome: BF1634-110Matte Black: BF1634-160

#### **Maximum flow rate**

• 9.5 L/min (2.5 gpm) at 80 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1





#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



## **SPECIFICATIONS**

#### **Features**

Dimension: 120 mm (4 3/4")Anti-scale system with soft sprays

• Male water inlet G1/2

• 2 direct functions and 1 shared function

#### **Colors (Finishes)**

Chrome: 104286-110Matte Black: 104286-160

#### Maximum flow rate

• 9.5 L/min (2.5 gpm) at 60 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



# 103577 Wallbar for handshower

## **SPÉCIFICATIONS**

#### **Features**

- Total height of 742 mm (30")
- Easy-to-use gliding system
- · Locking system

#### **Colors (Finishes)**

Chrome: 103577-110Matte Black: 103577-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089





# 102847 Wall Outlet

### **SPECIFICATIONS**

#### **Features**

- Male or female water inlet 1/2NPT
- Male water oulet G1/2
- · Solid brass construction
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**


- Chrome: 102847-**110**
- Brushed Nickel PVD: 102847-120
- Matte Black: 102847-160

#### Certifications

The specified model meets or exceeds the following standards;



CSA B125.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089

