

**BF2088-XXX**  
**PB5 Pressure Balance Shower System (without valve)**

**SPECIFICATIONS**



**Components included**

- 104850-XXX\*: Square decorative trim for ½" pressure balance valve with volume control – cartridge included
- BF1762-XXX\*: 100 mm (4") showerhead and 184 mm (7 1/4") 45° wall arm with square flange

\* XXX means that the finish color must be specified.

**Colors (Finishes)**

- Chrome: BF2088-110
- Matte Black: BF2088-160

**Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1  
ASME A112.18.1



See the following sheets for the technical features of each component.

**Installation Notes**

This product must be installed following the installation instructions provided.

**WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

**Features**

- Solid brass construction
- Total adjustment of 25 mm (1")
- Pressure balance with volume control ceramic cartridge

**Colors (Finishes)**

- Chrome: 104850-110
- Matte black: 104850-160

**Maximum flow rate**

- 22.5 L/min (5.9 gpm) at 60 psi

**Certifications**

The specified model meets or exceeds the following standards;

ADA 



**Installation Notes**

This product must be installed following the installation instructions provided.

**WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

Product dimensions:



**Important:** Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

# BF1762

## Showerhead with 45° wall arm with square flange

### SPECIFICATIONS

#### Features

##### 45° Wall arm (105228-XXX):

- Male water inlet 1/2 NPT
- Male water outlet G1/2

##### Showerhead (105137-XXX):

- Female water inlet G1/2
- Diameter of 100 mm (4")
- Soft tips for easy cleaning of limescale
- Adjustable orientation swivel

##### Arm flange (105135-XXX):

#### Colors (Finishes)

- Chrome: BF1762-110
- Matte black: BF1762-160

#### Maximum flow rate

- 7.6 L/min (2 gpm) at 60 psi

#### Certifications

The specified model meets or exceeds the following standards;




#### Installation Notes

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

#### Product dimensions:



**Important :** Dimensions are approximated and are subject to changes. Please refer to the installation instructions.