# KONTOUR<sup>TM</sup>



## BF1337-110-101

PLUS: T2 Thermostatic Shower System

## **SPECIFICATIONS**



## **Components included**

- BF1300-110: AQUATONIK™ type T/P 1/2" valve and decorative trim
- BF1303-110: 1/2" Volume control valve and decorative trim
- BF1391-110: Rainhead with Vertical ceiling arm
- 102850-110: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 102347-110: Wall outlet with volume controlt
- 101620-110\*: 60" flexible and soft PVC hose

## **Colors (Finishes)**

• Chrome: BF1337-110-101

### **Certifications**

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

## **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



# **KONTOUR**<sup>TM</sup>



## **BF1300**

## AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim

## **SPECIFICATIONS**

## **Features**

- Solid brass construction
- · No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

## **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

ICC A117.1

## **Colors (Finishes)**

• Chrome: BF1300-**110** 

## **Packaging**

• **Dimensions**: 370 mm x 190 mm x 205 mm

 $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$ 

Volume: 0.014 cu m (0.51 cu ft)
 Total weight: 2.35 kg (5.18 lb)

### Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

# **KONTOUR**<sup>TM</sup>



## **BF1303**

## 1/2" Volume Control Valve and Decorative Trim

**SPECIFICATIONS** 

## **Features**

- No visible screw
- Female water inlet 1/2NPT threaded
- · Solid brass construction

## **Colors (Finishes)**

• Chrome: BF1303-110

## **Packaging**

• **Dimensions**: 305 mm x 117 mm x 92 mm (12" x 4 5/8" x 3 5/8")

Volume: 0.12 cu ft (0.003 cu m)
 Total weight: 1.71 lb (0.78 kg)

## **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1






#### **Installation Notes**

This product must be installed following the installation instructions provided.

## **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

# KONTOUR<sup>MC</sup>



# BF1391 PLUS: Rainhead and Vertical Ceiling Arm

## **SPECIFICATIONS**

## **Features**

- Male water inlet 1/2NPT
- Diameter: 254 mm (10")
- · Anti-scale system with soft sprays
- · Adjustable orientation swivel
- · Solid brass arm and plastic rainhead construction

## **Colors (Finishes)**

• Chrome: BF1391-110 Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

## **Certifications**

The specified model meets or exceedsthe following standards;






## **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



## 102850

## **PLUS: 2-Jet Handshower**

## **SPECIFICATIONS**

## **Features**

- · Plastic construction
- Diameter of 121mm (4 3/4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 direct positions and 1 shared position

## **Colors (Finishes)**

• Chrome: 102850-**110** 

## Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

## **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAS




## **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





# 103577 Wallbar for handshower

## **SPECIFICATIONS**

## **Features**

- · Plastic construction
- Total height of 742 mm (30")
- · Easy-to-use gliding system
- · Locking system

## **Colors (Finishes)**


• Chrome: 103577-110

Pure Nickel PVD: 103577-125Matte Black: 103577-160

### **Certifications**

The specified model meets or exceeds the following standards;

## ADA




## **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



# Wall Outlet with Volume Control

## SPÉCIFICATIONS

## **Features**

- Female water inlet 1/2NPT
- Male water oulet G1/2
- Cartridge 3/4 with ceramic disc
- · Solid brass construction
- Check valve included
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

## **Colors (Finishes)**

• Chrome: 102347-**110** 

Brushed Nickel PVD: 102347-120

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1

## **Packaging**

Dimensions:

325 mm x 145 mm x 85 mm (12 3/4" x 5 3/4" x 3 3/8")

• **Volume**: 0.004 cu m (0.14 cu ft)

• **Total weight**: 0.44 kg (0.97 lb)




## **Installation Notes**

This product must be installed following the installation instructions provided.

## **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089





# 101620

# 60" (1524 mm) Flexible and Soft PVC Hose

## **SPECIFICATIONS**

## **Features**

G1/2 female connection

· Integrated check valve

## **Colors (Finishes)**

• Chrome: 101620-110

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160



## **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

