KONTOURTM



BF1720-XXX-001

STANDARD: TCD1 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1727-110: 2-way AQUATONIKTM type T/P 1/2" coaxial valve with diverter
- BF1389-XXX*: Rainhead with vertical ceiling arm
- 104286-110 or 104336-150: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 106192-110: Wall outlet
- 101620-XXX*: 60" flexible and soft PVC hose
- * XXX means that the finish color must be specified.

Colors (Finishes)

- Chrome: BF1720-110-001
- Black and chrome: BF1720-150-001

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ADAS





See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



KONTOURTM



ONCE UPON A TIME...WATER®

BF1727

2-way AQUATONIK™ type T/P 1/2" coaxial valve with diverter and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Integrated service stops
- Two male water inlets 1/2NPT threaded or welded
- Two male water outlets 1/2NPT threaded or welded
- Total adjustment of 32 mm (1 1/4")
- Can be installed back-to-back
- Support for better stability during installation included

Colors (Finishes)

Chrome: BF1727-110

Total weight: 2.28 kg (5.05 lb) **Maximum flow rate**

(14 5/8" x 7 1/2" x 8 1/8")

Volume: 0.014 m³ (0.51 pi³)

Packaging

• 1 outlet = 25 L/min (6.6 gpm) at 60 psi

Dimensions: 370 mm x 190 mm x 205 mm

2 outlets = 29 L/min (7.7 gpm) at 60 psi



Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2e Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f @ \$ 🛗

KONTOUR^{MC}



BF1389 STANDARD: Rainhead with Vertical Ceiling Arm

SPECIFICATIONS

Features

- Male water inlet 1/2NPT
- Diameter: 200 mm (7 \(\frac{7}{8} \) ")
- · Anti-scale system with soft sprays
- · Adjustable orientation swivel
- · Solid brass arm and plastic rainhead construction

Colors (Finishes)

- Chrome: BF1389-110
- Black and Chrome: BF1389-150

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;











Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089

104286 2-jet handshower

SPECIFICATIONS

Features

Dimension: 120 mm (4 3/4")Anti-scale system with soft sprays

• Male water inlet G1/2

• 2 direct functions and 1 shared function

Colors (Finishes)

• Chrome: 104286-**110**

Pure Nickel PVD: 104286-125Matte Black: 104286-160

Maximum flow rate

• 7.6 L/min. (2 gpm) at g0 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAS




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089

KONTOURTM



104336-150 STANDARD: 2-Jet Handshower

SPECIFICATIONS

Features

- Dimension: 120 mm (4 3/4")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function

Colors (Finishes)

Black and chrome: 104336-150

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1
Intertek ASME A112.18.1 ADAS








Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) **F** 418 387-9089

103577 Wallbar for handshower

SPECIFICATIONS

Features

- · Plastic construction
- Total height of 742 mm (30")
- · Easy-to-use gliding system
- · Locking system

Colors (Finishes)


• Chrome: 103577-110

Pure Nickel PVD: 103577-125Matte Black: 103577-160

Certifications

The specified model meets or exceeds the following standards;

ADA




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



106192 **Wall Outlet**

SPECIFICATIONS

Features

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

Colors (Finishes)

Chrome: 106192-110

Pure Nickel PVD: 106192-125 Matte Black: 106192-160 Black: 106192-165

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



101620

60" (1524 mm) Flexible and Soft PVC Hose

SPECIFICATIONS

Features

G1/2 female connection

· Integrated check valve

Colors (Finishes)

• Chrome: 101620-110

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160



Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

